

B1  
number 2), into the amino acid sequences of the respective E1 or E2 proteins as shown in the sequence listing.

Page 38, amend the paragraph spanning lines 32-35 as follows:

B2  
Figures 35A-1 to 35A-8: Antibody levels to the different HCV antigens (Core 1, Core 2, E2HCVR, NS3) for NR and LTR followed during treatment and over a period of 6 to 12 months after treatment determined by means of the LIAscan method. The average values are indicated by the curves with the open squares.

Page 39, delete the paragraph spanning lines 1-4, and insert the following therefor:

B3  
-- Figures 35B-1 to 35B-8: Antibody levels to the different HCV antigens (NS4, NS5, E1 and E2) for NR and LTR followed during treatment and over a period of 6 to 12 months after treatment determined by means of the LIAscan method. The average values are indicated by the curve with the open squares.--

[Page 39, amend the paragraph spanning lines 6-7 as follows:]

Figures 36A and 36B: Average E1 antibody (E1Ab) and E2 antibody (E2Ab) levels in the LTR and NR groups.

[Page 39, amend the paragraph spanning lines 8 and 9 as follows:]

Figures 36A-D: Averages E1 antibody (E1Ab) levels for non-responders (NR) and long term responders (LTR) for type 1b and type 3a.